

## Health Assessment Screening

### 1. Temperature screening

- The temperature of all designated visitors must be taken by a non-invasive infrared or similar device (oral thermometers must not be used).
- For reference, normal temperatures are:
  - Ear/forehead 35.8-38.0°C (96.4-100.4°F)
- Anyone with a measured temperature of 38.0C or higher MUST NOT be admitted to the facility and should be advised to leave the building in order to protect the health of the residents.

### 2. COVID-19 Questionnaire

1.	Do you have any of the below symptoms	<b>CIRCLE ONE</b>	
	Fever	<b>YES</b>	<b>NO</b>
	Cough	<b>YES</b>	<b>NO</b>
	Shortness of breath/difficulty breathing	<b>YES</b>	<b>NO</b>
	Sore throat	<b>YES</b>	<b>NO</b>
	Runny nose	<b>YES</b>	<b>NO</b>
	Feeling unwell/fatigued	<b>YES</b>	<b>NO</b>
	Nausea/vomiting/diarrhea	<b>YES</b>	<b>NO</b>
2.	Have you, or anyone in your household travelled outside of Canada in the last 14 days?	<b>YES</b>	<b>NO</b>
3.	Have you had close contact (face-to-face contact within 2 meters/6 feet with someone who is ill with cough and/or fever	<b>YES</b>	<b>NO</b>
4.	Have you, or anyone in your household been in contact in the last 14 days with someone who is being investigated or confirmed to be a case of COVID-19	<b>YES</b>	<b>NO</b>

If a designated visitor answers YES to any of the questions, the individual MUST NOT be admitted to the facility and should be advised to leave the building in order to protect the health of the residents.

### 3. Confirmation of “designated visitor” status

Name \_\_\_\_\_

Signature \_\_\_\_\_

### 4. Documentation of arrival and exit times

Arrival \_\_\_\_\_

Exit \_\_\_\_\_